Journal of Fermentation Technology

Volume 62, 1984

社団法人 日本醱酵工学会
The Society of Fermentation Technology, Japan

JOURNAL OF FERMENTATION TECHNOLOGY

EDITORIAL BOARD

Chairman: Hisaharu TAGUCHI

Shuichi AIBA	Ichiro CHIBATA	Saburo FUKUI
Shinsaku HAYASHIDA	Takeshi KOBAYASHI	Kazuo KOMAGATA
Yasuji MINODA	Shiro NAGAI	Isei NAKAMURA
Hirosuke OKADA	Yoshiro OKAMI	Yasuji OSHIMA
Shiro SENOO	Makoto SATO	Hirotoshi SAMEJIMA
Isao SHIBASAKI	Shoichi SHIMIZU	Kenji SODA
Joji TAKAHASHI	Kenzo TONOMURA	Keisuke TSUBAKI
Hideaki YAMADA	Yasuhiro YAMADA	Keiji YANO

Executive Editor

Shiro NAGAI Yasuhiro YAMADA

Advisory Council

Kei ARIMA	H. DELLWEG	A. L. DEMAIN
C.-G. HEDEN	A. E. HUMPHREY	Kazuo OKUNUKI
S. J. PIRT	Chuji TATSUMI	Gyozo TERUI

Associate Editor

Tadayuki IMANAKA	Yoshikatsu MUROOKA	Hisao OHTAKE
Atsuo TANAKA	Yoshiki TANI	Itaru URABE
Tsuneo YAMANÉ		

The Society of Fermentation Technology, Japan

% Faculty of Engineering, Osaka University,
2–1 Yamada-oka, Suita-shi,
Osaka 565, Japan

Journal of Fermentation Technology, 1984
Contents of Vol. 62

Originals

Occurrence of Wild Killer Yeasts in Japanese Wineries and Their Characteristics
.....K. Kitano, M. Sato, T. Shimazaki, and S. Hara...(1)
Characteristics of a Mutant Strain of Cyclopentanone-Utilizing Bacterium
.....Y. Hasegawa, H. Obata, and T. Tokuyama...(7)
Dark-Period Nitrogen Fixation by *Mastigocladus laminosus* and Its Application to a Biophotolysis System
.....K. Miyamoto, K. Takahara-Ishikawa, H. Horie, and Y. Miura...(13)
Streptothricin Production by a New Isolate of *Streptomyces* from Thailand Soil
.....S. Keeratipibul, M. Sugiyama, O. Nimi, and R. Nomi...(19)
Phosphorylation of AMP by Dried *Escherichia coli* B cells
.....S. Yamaguchi, Y. Fukuda, M. Shimosaka, M. Kurata, and A. Kimura...(29)
Decrease of Protease Activity by the Addition of Glucose to the Culture of *Cephalosporium* sp.
.....K. Tsuchiya and T. Kimura...(35)
Ethanol Production by Repeated Batch Culture with Hollow Fibers
.....Y. Nishizawa, Y. Mitani, K. Fukunishi, and S. Nagai...(41)
Control of Sugar Feeding for Glutamic Acid Fermentation
.....K. T. Hong, S. H. Park, J. H. Lee, C. Y. Choi, and J. C. Bae...(49)
Continuous Ethanol Production by a Concentrated Culture of Flocculating Yeast
.....S. Limtong, M. Nakata, H. Funahashi, T. Yoshida, T. Seki, J. Kumnuanta, and H. Taguchi...(55)
Production of Xylan-Degrading Enzymes by Thermophilic Fungi, *Aspergillus fumigatus* and *Humicola lanuginosa*
.....V. Kitpreechavanich, M. Hayashi, and S. Nagai...(63)
Effects of Pressure and Dissolved Oxygen Concentration on Growth of *Pseudomonas aeruginosa*
.....S. Sato, S. Mukataka, H. Kataoka, and J. Takahashi...(71)
Cultivation of Methanol-Utilizing Yeasts in a Sea Water Medium
.....T. Urakami and S. Takano...(111)
Effects of pH and Glucose Concentration on Production of Rifamycin Oxidase
.....E. K. Kim, C. Y. Choi, J. M. Park, M. H. Han, and Y. H. Park...(117)
Enzymatic Hydrolysis of Sweet Potato for Energy-Saving Production of Ethanol
..... J. W. Chua, N. Fukui, Y. Wakabayashi, T. Yoshida, and H. Taguchi...(123)
Production of 5′-Guanylic Acid by Enzymatic Conversion of 5′-Xanthylic Acid
.....T. Fujio, Y. Kotani, and A. Furuya...(131)
Acetic Acid Production by Immobilized *Acetobacter aceti* Cells Entrapped in a κ-Carrageenan Gel
.....J. Osuga, A. Mori, and J. Kato...(139)
Laboratory-Scale Production of Acetoin Isomers (D(−) and L(+)) by Bacterial Fermentation
.....S. Ui, H. Masuda, and H. Muraki...(151)
Kinetic Study on Δ′-Dehydrogenation of Hydrocortisone by Gel-Entrapped *Arthrobacter simplex* Cells
.....K. Sonomoto, R. Matsuno, A. Tanaka, and S. Fukui...(157)
Production, Purification and Some Properties of Extracellular Amylase of *Schizophyllum commune*
.....T. Shimazaki, S. Hara, and M. Sato...(165)
Methane Fermentation of Ramie-Refining Waste Water
.....S. Oi, T. Tanaka, S. Dobashi, I. Ogo, and M. Taniguchi...(171)
Foaming in an Aerated Stirred Tank and Its Mechanical Control
.....A. Ohkawa, N. Sakai, H. Imai, and K. Endoh...(179)

A Thermophilic Anaerobe (*Clostridium* species) Utilizing Various Biomass-Derived Carbohydrates
.....M. Taya, Y. Suzuki, and T. Kobayashi...(229)
Production of Extracellular NAD and NADP by a Lignin-Degrading Fungus, *Phanerochaete chrysosporium*
.....M. Kuwahara, Y. Ishida, Y. Miyagawa, and C. Kawakami...(237)
Production of Pyruvic Acid from Saccharified Citrus Peel Extract by Dried Cells of *Debaryomyces coudertii*
..... M. Moriguchi, K. Shuto, and T. Hashimoto...(243)
Ethanol Production by Immobilized Cells with Forced Substrate Supply
.....Y. Mitani, Y. Nishizawa, and S. Nagai...(249)
Intrinsic Fermentation Kinetic Parameters of Immobilized Yeast Cells
.....D. D. Y. Ryu, H. S. Kim, and H. Taguchi...(255)
Factors Affecting the Inactivation of Naringinase Immobilized on Chitin during Debittering of Fruit Juice
.....H.-Y. Tsen...(263)
Purification and Some Properties of an Endo-1,4-β-D-Xylanase from *Streptomyces* sp.
.....T. Nakajima, K. Tsukamoto, T. Watanabe, K. Kainuma, and K. Matsuda...(269)
High-BOD Loading Treatment using Large-Scale Deep Aeration Tanks
.....N. Shimizu, T. Sumitani, Y. Masaki, Y. Odawara, and S. Hisatomi...(277)
Rate of Composting of Dewatered Sewage Sludge in Continuously Mixed Isothermal Reactor
.....P. D. Bach, M. Shoda, and H. Kubota...(285)
Selection of Microbes Producing Biosurfactants in Media without Hydrocarbons
.....C. N. Mulligan, D. G. Cooper, and R. J. Neufeld...(311)
Evaluation of Conditions Affecting Productivity in the Improved Process of *Mirin*-Making
.....M. Uchida, H. Oyashiki, G. Nagahama, and S. Hanai...(315)
Vitamin K_2 (Menaquinone): Screening of Producing Microorganisms and Production by *Flavobacterium meningosepticum*
.....Y. Tani, S. Asahi, and H. Yamada...(321)
Enzymatic Production of Tryptophan Coupled to Pyruvic Acid Fermentation
.....S. Takao, A. Yokota, and M. Tanida...(329)
Utilization of Steam- and Explosion-Decompressed Aspen Wood by Some Anaerobes
..... A. W. Khan, M. Asther, and C. Giuliano...(335)
Estimation of True Growth Yield and Maintenance Parameters for Methanol Utilizing Organisms
.....H. Y. Lee, L. E. Erickson, and S. S. Yang...(341)
Inducers for Xylanase Production by *Cryptococcus flavus*
.....T. Yasui, B. T. Nguyen, and K. Nakanishi...(353)
Purification and Some Properties of Xylanase from *Cryptococcus flavus*
.....K. Nakanishi, H. Arai, and T. Yasui...(361)
Production and Preparation of Glutamate Synthase from *Brevibacterium flavum*
.....H.-C. Sung, T. Tachiki, H. Kumagai, and T. Tochikura...(371)
Enhancement of Enzymatic Susceptibility of Lignocellulosic Wastes by Microwave Irradiation
..... J. Azuma, F. Tanaka, and T. Koshijima...(377)
Oscillation of Filamentous Bacterium *Sphaerotilus* sp. in Continuous Culture
.....N. Kurano, S. Kotera, M. Okazaki, and Y. Miura...(395)
Growth Characteristics of Immobilized Yeast Cells in Continuous Ethanol Fermentation with Forced Substrate Supply
.....Y. Mitani, Y. Nishizawa, and S. Nagai...(401)
Amylase from *Lactobacillus cellobiosus* Isolated from Vegetable Wastes
.....S. Sen and S. L. Chakrabarty...(407)

Purification and Properties of Endo-1,4-β-Xylanase from *Humicola lanuginosa*
.....V. Kitpreechavanich, M. Hayashi, and S. Nagai...(415)
Preliminary Studies on Treatment of Chromium Tannery Waste Sludge by Anaerobic Digestion
.....Y. Maeda, Y. Shoji, A. Yoneda, and T. Azumi...(421)
Some Properties of Mucilage Polysaccharides Extracted from Sewage Activated Sludge
.....K. Kakii, T. Shirakashi, and M. Kuriyama...(429)
Biological Phosphorus Release from Activated Sludge of Sludge Recycling Nitrification-Denitrification Process
.....S. Hashimoto and K. Furukawa...(437)
Simultaneous Nitrogen and Phosphorus Removal by Anoxic-Aerobic High Sludge Concentration Activated Sludge Process
.....S. Hashimoto and K. Furukawa...(445)
Control of Water Content in a Solid-State Culture of *Aspergillus oryzae*
.....H. Narahara, Y. Koyama, T. Yoshida, P. Atthasampunna, and H. Taguchi...(453)
Computerized Control of Growth with Temperature in a Mixed Culture of Lactic Acid Bacteria
.....J. Tayeb, C. Bouillanne, and M. F. Desmazeaud...(461)
New Method for Isolation of Cellulase Constitutive Mutants in *Trichoderma reesei* and Partial Characterization of One
.....S. Mishra and K. S. Gopalkrishnan...(495)
Synergistic Effects of Acetic Acid and Ethanol on the Growth of *Acetobacter* sp.
.....A. Nanba, A. Tamura, and S. Nagai...(501)
Growth Inhibition by Copper and Copper Intake in *Tetrahymena pyriformis* GL
.....T. Wakatsuki, Y. Tazaki, and H. Imahara...(507)
Effect of Nicotinic Acid and Sugar Concentration of Grape Juice and Temperature on Accumulation of Acetic Acid during Yeast Fermentation
.....P. R. Monk and P. J. Cowley...(515)
Long-Term Continuous Culture of a Methanol-Utilizing Bacterium
.....T. Urakami, S. Minagawa, I. Terao, and I. Nagai...(523)
Photoproduction of Hydrogen from Glucose by a Co-Culture of a Photosynthetic Bacterium and *Clostridium butyricum*
..... J. Miyake, X.-Y. Mao, and S. Kawamura...(531)
Microbial Production of Mildiomycin Analogues by the Addition of Cytosine Analogues
.....H. Sawada, K. Katamoto, T. Suzuki, S. Akiyama, and Y. Nakao...(537)
Conversion of Tough Cellulose to Useful Compounds by an Anaerobe Isolated from Compost
..... J. Sukhumavasi, K. Ohmiya, M. Suwana-Adth, and S. Shimizu...(545)
Mechanism for the Formation of 2,3-Butanediol Stereoisomers in *Klebsiella pneumoniae*
.....S. Ui, N. Matsuyama, H. Masuda, and H. Muraki...(551)
Enzymatic Properties of Hydrocellulase from *Aspergillus aculeatus*
.....R. Sakamoto, M. Arai, and S. Murao...(561)
Properties of Glutamate Synthase from *Brevibacterium flavum*
..... H.-C. Sung, T. Tachiki, H. Kumagai, and T. Tochikura...(569)
Purification and Some Properties of Isocitrate Lyase from *Paecilomyces varioti* with High Malic Acid Production
.....S. Takao, T. Takahashi, M. Tanida, and M. Takahashi...(577)
Purification and Characterization of Sequence-Specific Restriction Endonuclease *Mfl*I
.....N. Hiraoka, K. Kita, H. Nakajima, and A. Obayashi...(583)
Removal of Hydrogen Sulfide by a Biofilter with Fibrous Peat
.....N. Furusawa, I. Togashi, M. Hirai, M. Shoda, and H. Kubota...(589)

Notes

Molecular Cloning and Expression of β-Isopropylmalate Dehydrogenase Gene from Alkalophilic *Bacillus* in *Escherichia coli*
.....C. Kato, H. Honda, T. Kudo, and K. Horikoshi...(77)
Effects of 1-Phenyl-1-Propanol and Ethanol during Respiratory Adaptation of Yeast
.....H. Hamada, Y. Shimotakahara, Y. Kurihara, and M. Kojima...(81)
Microbial Degradation of Cyclomonocarboxylic Acids and Cyclomonoketones by *Pseudomonas*
.....Y. Hasegawa, H. Obata, and T. Tokuyama...(87)
Correlation between Streptothricin Production and Mucopeptide Synthesis
.....S. Keeratipibul, O. Nimi, and R. Nomi...(93)
Preparation of ATP-Producing Cells of a Methanol Yeast, *Candida boidinii* (*Kloeckera* sp.) No. 2201
.....Y. Tani, Y. Mitani, and H. Yamada...(99)
Available Electron Balance of *Aspergillus wentii* on different Carbon Sources
.....V. S. Bisaria and S. Nene...(189)
The Effects of the Initial Cell Concentration on the Alcoholic Fermentation of Cassava
.....P. A. Doin, J. E. Olivo, V. L. Varella, B. R. Concone, and A. G. Pinto...(195)
Itaconic Acid Fermentation of Levoglucosan
..... M. Nakagawa, Y. Sakai, and T. Yasui...(201)
Constant Fed-Batch Ethanol Fermentation of Molasses
.....L. H. Koshimizu, E. I. V. Gomez, C. L. B. Netto, M. R. de M. Cruz, M. L. R. Vairo, and W. Borzani...(205)
Cellulases and β-Glucosidase Production by Mix Shake Cultivation of *Scytalidium lignicola* and *Trichoderma longibrachiatum*
.....S. M. Trivedi and J. D. Desai...(211)
Penicillin Acylase Activity in Mutants of *Escherichia coli* Highly Sensitive to Penicillin G
.....H. Morita and T. Iwata...(217)
The Synthesis of Polymer-Bound NADP Derivatives on Charged and Uncharged Carriers and Their Coenzymic Activity
.....H. Araki, Y. Yamazaki, H. Maeda, and A. Satoh...(221)
Differences in Phototrophic Growth on High Phosphate Concentrations among *Rhodopseudomonas* Species
.....A. Hiraishi and H. Kitamura...(293)
Ethanol Production from Desalted Molasses using *Saccharomyces uvarum* and *Zymomonas mobilis*
.....S. K. Rhee, R. J. Pagan, M. Lefebvre, L. Wong, and P. L. Rogers...(297)
Protein Production by Lysis with Glycine of a Facultative Methylotroph, *Protaminobacter ruber*, Cultivated in a Fed-Batch System
.....K. Sato, K. Maruyama, H. Mori, T. Suzuki, and S. Shimizu...(301)
Aeration-Agitation Effect on Coenzyme Q_{10} Production by *Agrobacterium* Species
.....Y. Kuratsu, M. Sakurai, H. Hagino, and K. Inuzuka...(305)
Candicin, a New Sphingoglycolipid from Hydrocarbon-Assimilating Yeast
.....M. Iida, T. Kaneko, and H. Iizuka...(385)
Glutamine Does Not Repress Gramicidin S Biosynthesis in *Bacillus brevis*
.....J.-H. D. Wu and A. L. Demain...(389)
Ethanol Production from Molasses using Cell Recycling of *Saccharomyces cerevisiae*
.....R. K. Sedha, G. Verma, R. P. Gupta, and H. K. Tewari...(471)
Comparison of Phenolic Compounds Including Anthocyanin Pigments between Koshu and Ryugan Grapes
.....K. Yokotsuka, K. Nozaki, and T. Kushida...(477)
Methane Production from Formate, Methanol, and Acetate in Chemostat Cultures
.....N. Nishio, T. K. Mazumder, and S. Nagai...(487)
Deoxyribonucleic Acid Homologies in Strains of *Gluconobacter* Species
.....Y. Yamada, N. Itakura, M. Yamashita, and Y. Tahara...(595)
Biogas Production from a Suspension of Homogenized Cladodes of the Cactus *Opuntia cacti*
.....S. Contreras and J. Toha C....(601)